



Knapsack Mist-duster Sprayer



2.6A-15L



Model	2.6A
Tank Capacity	15 L
N.W	11kg
Max. Power	1.18 kw
Engine	1E40F
Dimension	490*415*715 mm
Spray mixture	≥3 L/min
Dust	≥5 kg/min
Range	≥8 m
Fan speed	4500-5000 r/min
Way of Ignition	CDI
Way of Start	Recoil Starting
Way of Stop	Full shut fuel throttle
Qty:	410 pcs/40HQ
Delivery time	25 Days

Price is based on 200 pcs. L/C or 30% deposit T/T.



2.6B-20L



Model	2.6B
Tank Capacity	20 L
N.W	11.5 kg
Max. Power	1.18 kw
Engine	1E40F
Dimension	490*415*750 mm
Spray mixture	≥3 L/min
Dust	≥5 kg/min
Range	≥8 m
Fan speed	4500-5000 r/min
Way of Ignition	CDI
Way of Start	Recoil Starting
Way of Stop	Full shut fuel throttle
Qty:	392pcs/40HQ
Delivery time	25 Days

Price is based on 200 pcs. L/C or 30% deposit T/T.



2.6c-20L



Model	2.6B
Tank Capacity	20 L
N.W	11.5 kg
Max. Power	1.18 kw
Engine	1E40F
Dimension	490*415*750 mm
Spray mixture	≥3 L/min
Dust	≥5 kg/min
Range	≥8 m
Fan speed	4500-5000 r/min
Way of Ignition	CDI
Way of Start	Recoil Starting
Way of Stop	Full shut fuel throttle
Qty:	392pcs/40HQ
Delivery time	25 Days

Price is based on 200 pcs. L/C or 30% deposit T/T.

New design

Accord with human body curve — ensuring the sling is worn correctly and comfortably over shoulder and across back. More comfortable to use.





30-19L



Model	30
Tank Capacity	19 L
N.W	11kg
Max. Power	3.6 kw (5hp)
Displacement	77cc
Dimension	465*375*740 mm
Spray mixture	≥ L/min
Dust	≥ kg/min
Range	≥ m
Fan speed	r/min
Way of Ignition	CDI
Way of Start	Recoil Starting
Way of Stop	Full shut fuel throttle
Qty:	460 pcs/40HQ
Delivery time	25 Days

Price is based on 200 pcs. L/C or 30% deposit T/T.



30A-19L



Model	30A
Tank Capacity	19 L
N.W	11.5 kg
Max. Power	3.6 kw (5hp)
Engine	77cc
Dimension	465*375*740 mm
Spray mixture	≥ L/min
Dust	≥ kg/min
Range	≥ m
Fan speed	r/min
Way of Ignition	CDI
Way of Start	Recoil Starting
Way of Stop	Full shut fuel throttle
Qty:	460 pcs/40HQ
Delivery time	25 Days

Price is based on 200 pcs. L/C or 30% deposit T/T.



Knapsack Mist-duster Sprayer



3A-12L



Model	3A
Tank Capacity	12 L
N.W	11kg
Max. Power	2.13 kw
Engine	1E40F-3Z
Dimension	490*415*700 mm
Spray mixture	≥4 L/min
Dust	≥6 kg/min
Range	≥11 m
Fan speed	7500-8000 r/min
Way of Ignition	CDI
Way of Start	Recoil Starting
Way of Stop	Full shut fuel throttle
Qty:	390pcs/40HQ
Delivery time	25 Days
Price is based on 200 pcs. L/C or 30% deposit T/T.	



3B-20L



Model	3B
Tank Capacity	20 L
N.W	11.5 kg
Max. Power	2.13 kw
Engine	1E40F-3Z
Dimension	490*415*750 mm
Spray mixture	≥4 L/min
Dust	≥6 kg/min
Range	≥11 m
Fan speed	7500-8000 r/min
Way of Ignition	CDI
Way of Start	Recoil Starting
Way of Stop	Full shut fuel throttle
Qty:	390pcs/40HQ
Delivery time	25 Days
Price is based on 200 pcs. L/C or 30% deposit T/T.	



3C-26L



Model	3C
Tank Capacity	20 L
N.W	11.8 kg
Max. Power	2.13 kw
Engine	1E40F-3Z
Dimension	490*415*790 mm
Spray mixture	≥4 L/min
Dust	≥6 kg/min
Range	≥11 m
Fan speed	7500-8000 r/min
Way of Ignition	CDI
Way of Start	Recoil Starting
Way of Stop	Full shut fuel throttle
Qty:	390pcs./40HQ
Delivery time	25 Days

Price is based on 200 pcs. L/C or 30% deposit T/T.



18-3-14L



Model	18-3
Tank Capacity	14 L
N.W	11.2 kg
Max. Power	1.18 kw
Engine	1E40F
Dimension	490*405*665 mm
Spray mixture	≥3 L/min
Dust	≥5 kg/min
Range	≥8 m
Fan speed	4500-5000 r/min
Way of Ignition	CDI
Way of Start	Recoil Starting
Way of Stop	Full shut fuel throttle
Qty:	450pcs/40HQ
Delivery time	25 Days

Price is based on 200 pcs. L/C or 30% deposit T/T.



18AC-11L



Model	18AC
Tank Capacity	11 L
N.W	11.0 kg
Max. Power	1.18 kw
Engine	1E40F
Dimension	560*400*720 mm
Spray mixture	≥3 L/min
Dust	≥5 kg/min
Range	≥8 m
Fan speed	4500-5000 r/min
Way of Ignition	CDI
Way of Start	Recoil Starting
Way of Stop	Full shut fuel throttle
Qty:	370pcs/40HQ
Delivery time	25 Days
Price is based on 200 pcs. L/C or 30% deposit T/T.	



18G-13L



Model	18G
Tank Capacity	13L
N.W	11 kg
Max. Power	1.18 kw
Engine	1E40F
Dimension	490*405*645 mm
Spray mixture	≥3 L/min
Dust	≥5 kg/min
Range	≥8 m
Fan speed	4500-5000 r/min
Way of Ignition	CDI
Way of Start	Recoil Starting
Way of Stop	Full shut fuel throttle
Qty:	390pcs/40HQ
Delivery time	25 Days
Price is based on 200 pcs. L/C or 30% deposit T/T.	



F8-15L



Model	F8
Tank Capacity	15 L
N.W	11.5 kg
Max. Power	1.18 kw
Engine	1E40F
Dimension	490*415*750 mm
Spray mixture	≥3 L/min
Dust	≥5 kg/min
Range	≥8 m
Fan speed	4500-5000 r/min
Way of Ignition	CDI
Way of Start	Recoil Starting
Way of Stop	Full shut fuel throttle
Qty:	390pcs/40HQ
Delivery time	25 Days

Price is based on 200 pcs. L/C or 30% deposit T/T.



Product Description:

Good-Job knapsack mist-duster sprayer with its lightweight and durable body is made of aluminum alloy. It is handy and portable for wide application such as washing chicken farm, motorcycles and used in fruit farms or irrigation to spray or suck water.

We provide wide range of model for various needs and spray rates to suit your needs.



Package:

Professional packaging experience, offer two style of corrugated case packing.

- Color box
- Ordinary corrugated box



About us:



Changzhou Good-job Industry Corporation Limited was established in 2007, which is located in beautiful Changzhou city and has two listed companies which is Biochemical and Imp.&Exp. .

As a vibrant supplier of sprayer jet, knapsack (manual ,power ,electric, mist-duster) sprayers, we also have over 10 years experience of export herbicides, Insecticides, fungicides, Plant Growth regulators and Fertilizer in China.

There is a "independent department of labor protection products " providing masks ,gloves , glasses and disposable protective clothing suit for sprayer operator.



In line with the objective "Made Better In China",one-stop service.Our mission is to provide the highest level of cost - effective products and timely services to our customers. We supply products at a low possible price, with elegant design and guaranteed quality.

So far, our good products have been exported to many European countries, Australia, USA, Latin America and other countries or regions.

We are looking forward to a continual pleasant cooperation with our regular customers and establish wider business with new customers from all over the world! Please feel free to surf at our website, and let us know if you have any questions, comments and ideas. We are looking forward to hearing from you more spec. about the products you want to order.



Terms of Trade

Payment

Cash, T/T 30% in advanced, 70% before delivery or By irrevocable L/C at sight...

Remark: Please make payment in U.S. dollars.

About shipment

Within 10-25 days after receipt of your deposit.

About M.O.Q. (minimum order)

Due to the products, please contact us to make sure. We do not accept less than USD 1,600 worth of order (many model sums).

Shipping mark

At the Sellers' or buyers' option Origin: China

Packaging

Standard export packing

Arbitration

In case no settlement can be reached through negotiation, the case shall then be submitted to the foreign trade Arbitration Commission of the China Council for the Promotion of International Trade.



Thank you for your support!

- Junjie

